




कृष्णनगर नगरपालिका

# नगर कार्यपालिकाको कार्यालय



फोन नं. ०१६५२०१४७  
फ्याक्स नं. +९७७ ७६५२०६८

प.स. २०८२/८३  
च.नं.

मिति: २०८२/१०/२५

विषय: दररेट पेश गर्ने सम्बन्धि सूचना।

श्री उत्पादक/अपुर्तिकर्ता/फर्म/सप्लायर्स एवम् सरोकारवाला सबै

प्रस्तुत विषयमा यस कृष्णनगर नगरपालिका वडा नं.९ अन्तर्गत रहेको शिवराज अस्पताललाई आ.व. २०८२/८३ मा आवश्यक पर्ने अप्रेशन थेटर तथा ल्याबको लागि इक्युपमेन्ट लगायत सामग्रीको दररेट पेश गर्नुहुन सम्बन्धित उत्पादक/अपुर्तिकर्ता/फर्म/सप्लायर्स एवम् सरोकारवाला सबैले यो सूचना प्रकाशित भएको ७ (सात) दिन भित्र सम्पूर्ण कागजात सहित दर रेट पेश गर्नुहुन यो सूचना प्रकाशित गरिएको छ।

### तपसिल

#### 1. OT SET UP MEDICAL EQUIPMENTS

S.N.	Name of Equipment	Description	Unit	Unit price	Remarks
1	Wheel Chair (foldable)	Basic foldable wheelchair for adult use, Heavy carriage mounted on 4 ball-bearing wheels, Front wheels free rolling, 360 degrees swivel, both rear wheels with brake, Foot lever, integrated in frame, facilitates tilting the wheelchair, Armrests seat and back are upholstered, Materials: High resistance to corrosion (tropical environment), Frame: Chrome-plated tubular steel, Tires: Heavy duty solid rubber, Dimensions, Approx. ± 10%: Overall: 450 x 500 x 870mm (d x w x h), Carrying capacity: Approximately 100kg, One-year warranty, having ISO 9001 or ISO 13485, CE or USFDA approved product certificate.	Set		
2	Patient Trolley	A Patient trolley for transferring the patient from ward to ward, Size: Approx. 2030 L x 560 W x 820 H mm, should be mounted on 150 mm dia. swivel castors with two brakes, Fixed stretcher on plywood with padded foam covered with Rexene, Stretcher should consist of back rest, Back rest should be adjustable on ratchet, Provision of cylinder, MS Railing & IV rod, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
3	C-Arm Compatible Electric OT Table with Ortho Attachment	Should have Fully Electric C-Arm Compatible OT Table with ortho attachment, used for the different kind of surgeries, consist of 5 sectional radio translucent top, Eccentric pillar with detachable head, leg & pelvic section, SMPS based control Box, have step less articulation of the table top for precise patient positioning, standby battery backup with rechargeable	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु  
लुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०१४७  
फोकस न. ५९७७ ७६५२०६८

प.स. २०८२/८३

च.नं.

		circuit, Should have following Movement function: Height adjustment (Up & Down), Lateral Tilt (Left & Right), Trendelenburg & Reverse Trendelenburg, Flex position and Reflex Position, All position should be done by Electric remote, should have Length of Table : approx.1900 mm, Width of Table Top: approx 500 mm, Height (without Mattress) : min.750 mm-max. 1000 mm, Ortho Attachment allows the table to be used for the lower extremity procedures, Orthopaedic Attachment could be used with any Operating Table, Stirring Instruments should allow flexion/raising of legs & stirring /string ball joint locked from foot end, Padded orthopaedic knee crutches, supplied all standard accessories along with mattresses, one year warranty, ISO, CE or USFDA approved product certificate.		
4	C-Arm Compatible Electric OT Table	Should have Fully Electric C-Arm Compatible OT Table, used for the different kind of surgeries, consist of 5 sectional radio translucent top, Eccentric pillar with detachable head, leg & pelvic section, SMPS based control Box, have step less articulation of the table top for precise patient positioning, standby battery backup with rechargeable circuit, Should have following Movement function: Height adjustment (Up & Down), Lateral Tilt (Left & Right), Trendelenburg & Reverse Trendelenburg, Flex position and Reflex Position, All position should be done by Electric remote, should have Length of Table : approx.1900 mm, Width of Table Top: approx 500 mm, Height (without Mattress) : min.750 mm-max. 1000 mm, supplied all standard accessories along with mattresses, one year warranty, ISO,CE or USFDA approved product certificate.	Set	
5	Hydraulic OT Table	Should have Hydraulic Up and Down & Centre Pillar, used for the different kind of surgeries, have stainless steel fitting, detachable head, leg & pelvic section, in-built kidney bridge, Should have Five section Radio translucent Top, should have providing smooth stepless articulation of table top for patient positioning, should have Length of Table : approx.1900 mm, Width of Table Top: approx 500 mm, Height (without	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

अधिकृत  
प्रमुख



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु  
लुम्बिनी प्रदेश, नेपाल  
पोखरा, नेपाल

फोन न. ०७६५२०१४७  
फ्याक्स न. +९७७ ७६५२०६८४

प.स. २०८२/८३  
च.न.

		Mattress) : min.750 mm-max. 1000 mm, supplied all standard accessories along with mattresses, one-year warranty, ISO, CE or USFDA approved product certificate.			
6	Semi Electric OT Table	Should have Electric Up and Down & Centre Pillar, used for the different kind of surgeries, have stainless steel fitting, detachable head, leg & pelvic section, in-built kidney bridge, Should have Five section Radio translucent Top, should have providing smooth stepless articulation of table top for patient positioning, should have Length of Table : approx.1900 mm, Width of Table Top: approx 500 mm, Height (without Mattress) : min.750 mm-max. 1000 mm, supplied all standard accessories along with mattresses, one-year warranty, ISO, CE or USFDA approved product certificate.	Set		
7	Semi-Automatic CSSD Autoclave vertical 100 L or more	Semi-Automatic CSSD Autoclave vertical, capacity approx. 100 litres or more, complete with accessories, Single door high pressure steam sterilizer with triple wall, steam jacket and separate boiler, Shall have advanced microprocessor control system with LCD display, Sterilizer chamber SS 316, Door SS 316, Door Gasket: Siliçon or better, Insulation: fibre glass resin bonded wool or better, Chamber capacity: approx.100L or more, Autoclave shall work up to 121-134°C temperature, Pressure Range:15-22 PSI, Spring loaded safety valves and automatic vacuum breaker for jacket, SS baffle for even steam distribution in the chamber, Safety lock for door: Pressure lock safety precautions for lid opening; one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
8	Autoclave, 75Ltr.or more	Suitable for hospital laboratory, dressings, surgical instruments, glassware, and culture media etc, Shall be used with distilled water, Autoclave 75 ltr or more, vertical, Single door high pressure steam sterilizer with double walled, Sterilizer chamber SS 304, Jacket Stainless Steel, Insulation cover: SS sheets, Operating temperature 121 °C – 134°C Pressure Range:15-22 PSI, Automatic Electric Solenoid Valve for chamber drain, Low water off., 4 kw, water Immersion Type Heater, one-year warranty, Having ISO 13485 and CE or	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

*मुख्यमन्त्री द्वारा दिया गया*



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर कार्यपालिका

कृष्णनगर, कार्यपालिका

लुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०९४७  
फ्याक्स न. +९७७ ९६५२०६६४

प.स. २०८२/८३

च.नं.

		USFDA approved product certificate.		
9	Table, Examination	An examination table with upholstered top in two pieces. Adjustable headrest on metal ratchet and mattress, Bed shall be made of a solid steel sheet and plate construction with anti-corrosive and antirust treated epoxy powder coating with upholstered top, Overall size of the table shall not be less than 1830 mm L x 600mm W x 825 mm H., mattress shall be foldable and shall be designed to bend with the positioning of the bed when the backrest of the bed is adjusted, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set	
10	Mayo Trolley	Mayo trolley with four swivels castors use in operating theatre and in treatment rooms, used for layout for surgical instruments, trolley shall be constructed fully with 304 grade stainless steel or better, Come with a removable 304 grade stainless steel tray size approximately 560mm x 400mm x 20mm, height adjustable, mobile on 4 x 50mm robust fully 360° swivel castors with non-marking grey tyres and at least 2 diagonal castors shall have brakes, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set	
11	Ceiling Operating Light, Double Dome	Should have Memory Function, High quality sterilisable handle, With protective fire resistant ESG safety glass for scratch proof, fast disinfection process, protects UV and IR rays and improve light penetration, Body should be made from high quality fire resistant polymer, Intensity: 80,000 + 1,10,000 Lux ±10%, Number of LED: min.55 + 75 LED Life: >min. 50000 Hrs, Brightness Control: Capacitive Touch Panel, Focusing: Adjustable, Battery Backup: Optional, one-year warranty, ISO, CE or USFDA approved product certificate	Set	
12	Portable OT light	Should have Memory Function, High quality sterilizable handle. With special European design for ventilation of heat. Body should be made of high-quality fire-resistant polymer, Intensity: 1,10,000 Lux ±10%, LED Life: >50000 Hrs., Number of LED: min. 75, Brightness Control: Capacitive Touch Panel, Diameter of Light : 500 mm, Focusing : Adjustable, Should have Battery Backup, one-year warranty, ISO, CE or USFDA approved product certificate.	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवर्षतु

लुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०९४७

फ्याक्स न. +९७७ ७६५२०६८४

प.स. २०८२/८३

च.नं.

13	Electric Suction Machine	The system consists of Suction machine with 2 glass/polycarbonate Jars, Mains Operated, Suction tubing, Oil immersed rotary vane pump, Flow Rate: 25-30 L/min, 2 glass//polycarbonate jars of capacity 1500 ml., Maximum Vacuum: - 710 mmHg $\pm$ 10 mmHg, On/Off Switch and power indicator must be available, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
14	Refrigerator for lab (250L)	Refrigeration system: CFC-free refrigerant coolingsystem, Capacity of storage: min.250 litres, Microprocessor based temperature control, Monitor for temperature with alarm, visual and sound, for high/low temperature, Should have clear product visibility with dual glass door, Temperature Range: 2°C ~ 8°C, one-year warranty, Having ISO 9001 or ISO13485AND CE Marking Compliance Electrical Safety approved product certificate.	Set		
15	Fumigator	Fumigator is used to reduce microbial agents on hospital surfaces and to control infections, generate ultrafine and not wetting Aerosols (Submicron Size), jet throw in the closed room must be at least 4.5-6 meters, Nozzle assembly: Non-clogging, vortex type design, capacity of tank must be at least 5litres, Solution tank assembly: Stainless steel (Autoclavable), leak proof with graduation markings, Motor housing must be electric shockproof, unbreakable, portable and easy to carry, have automatic timer, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
16	Anesthesia Workstation with Patient Monitor 7 Parameter	Anesthesia Workstation complete with anesthesia gas delivery system, two vaporizer, circle absorber system with built in anesthesia ventilator and Patient Monitor seven parameter, Should have provision for delivery of oxygen, nitrous oxide and medical air with pressure gauges, Pressure gauges for O2 & N2O supply from Cylinder and for O2, N2O & AIR from Central Pipe line, Should have N2O cut off facility if O2 supply fails, have flow meter – Two tubes each (cascaded) for O2, N2O and Single tube for AIR, have maximum flow settings up to 10 LPM for each gas, Should have provision for connecting two Vaporizer must have interlock mechanism, Vaporiser must	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

लुम्बिनी प्रदेश, नेपाल



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कार्यपालिका  
लुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०९४७  
फ्याक्स न. +९७७ ७६५२०६८

प.स. २०८२/८३

च.नं.

		be temperature, pressure and flow compensated, Should have leak proof compact and integrated circle absorber, have single soda lime canister of approx.. 1.5 litre capacity, should have Anaesthesia Gas Scavenging System port (AGSS) & ACGO Function (Auxiliary Common Gas Outlet), have two deep drawers and writing area, workstation must have integrated built-in ventilator capable of delivering precise ventilation for Adult to Paediatric patients, Ventilator should be pneumatically driven and electronically controlled ventilator, Should have Modes of Ventilation: VCV, PCV, SIMV-V+PS, SIMV-P+PS, PSV with apnea back up, Tidal Volume Setting: 20 ml – 1500 ml, Pressure Support: 5 – 60 cmH <sub>2</sub> O, Minimum 8" inch colour TFT display with navigating wheel, Should have internal battery backup, Patient Monitor: 7 parameter patient monitor having Standard Configuration of ECG, Respiration, SpO <sub>2</sub> , NiBP, Temperature, 2 IBP, ETCO <sub>2</sub> , 12-inch or more Color touch LCD Display, should have Drug dose calculator and Oxy-CRG view screens, Should have pacemaker detection facility, Apnea detection facility, 2 channels for temperature monitoring, ETCO <sub>2</sub> Mainstream or Side stream type, dual IBP, Li-ion battery, have min 2.5 hrs or more battery backup of operation, one year warranty, ISO ,CE or USFDA certified product.			
17	Cautery Machine (Diathermy Machine)	Cautery Machine having both monopolar and bipolar outputs designed for surgical procedure, Unit should have microprocessor-controlled & advance feedback technology, should complete self-testing during power on, have error code function for fault conditions, should have safety monitoring to ensure utmost safety with patient plate contact quality monitoring and HF leakage monitoring, should be useful for underwater procedures, should have separate and isolated sockets for monopolar and bipolar, unit should have Monopolar Cut, Monopolar Coag, Bipolar Coag, Should have different surgical procedures programs in memory, should have PURE CUT : 400Watt at 300 ohms, complete unit with all	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

कृष्णनगर नगरपालिका  
अधिकृत



कृष्णनगर नगरपालिका

# नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवर्ष्टी

लुम्बिनी प्रदेश, नेपाल

फोन नं. ०७६५२०९४७

फ्याक्स नं. +९७७ ९६५२०६८

प.स. २०८२/८३

च.नं.

१८. नगर

		standard accessories, one year warranty, having ISO, CE or USFDA certified product.			
18	Oxygen Cylinder, 46L	Oxygen cylinder for medical use, Cylinder filled with medical grade Oxygen, Seamless steel Oxygen cylinder with "Bull nose"-valve, Water Capacity: 46L, Working pressure: 15MPa(150bar), Testing Pressure: 250bar, All fitting of cylinder must be leak proof and shall not have any chances of leakages, supplied complete with cylinder key/spanner/bar or hand-wheel to turn cylinder on/off, certified to meet ISO9001 and ISO 9809 for seamless steel gas cylinders, Explosive Safety Test Certificates from IOL (Indian Oxygen Ltd.)/ Department of Explosion Government of India/ BOC (British Oxygen Company) or other national/international repute institutions	Set		
19	Oxygen Cylinder, 10L (with Trolley, Regulator & Flow Meter and Bubble Humidifier)	Oxygen Cylinder, 10L with Trolley, Regulator, Flow Meter and Bubble Humidifier, Cylinder filled with medical grade Oxygen, Seamless steel Oxygen cylinder with "Bull nose"-valve, Water Capacity: 10L, Working pressure: 15MPa(150bar), Testing Pressure: 250bar, All fitting of cylinder must be leak proof and shall not have any chances of leakages, Shall be supplied complete with cylinder key/spanner/bar or hand-wheel to turn cylinder on/off., Trolley: The trolley must have MS tubular frame work and SS base, Two large, minimum 100mm good quality wheels with rubber or similar rims, To hold F and E size (one filled cylinder at once) of medical oxygen cylinder. Regulator: Bull nose screw type, medical oxygen cylinder fitting, regulated to convert standard cylinder pressure (typically 2,000 psi) to approximately 4 BAR (4 atmospheres) pressure, Regulator must be diaphragm type needle valve regulators are NOT permitted. Flow Meter: Sturdy and reliable Flow Meter Unit for an accurate measuring of flow of gases, Flow rate range 0 – 15 litres / minute, Inlet pressure suitable for the cylinder, Bubble Humidifier with Safety Valve and Pressure Relief Valve: Humidifier jar must be steam autoclavable / gas sterilizable, Jar made of Unbreakable Poly Carbonate, certified to meet ISO9001 and ISO 9809 for seamless	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर कार्यपालिका  
लुम्बिनी प्रदेश, नेपाल

प.स. २०८२/८३  
च.नं.

फोन न. ०१६५२०९४७  
फोक्स न. ०१६५२०९४८

		steel gas cylinders, Explosive Safety Test Certificates from IOL (Indian Oxygen Ltd.)/ Department of Explosion Government of India/ BOC (British Oxygen Company) or other national/international repute institutions.			
20	Radiant Baby Warmer	Radiant warmer is used to provide thermal support for babies, Microprocessor based servo controlled electronic controller, Should have SKIN, AIR and Manual Control modes or equivalents mode, Display should have Two bright LED digital displays combination of Red and Green to continues monitor of baby temp and set temp, with easily switchable to 0°C to 0°F, Main Unit should be Made with high quality mild steel fabrication, Base mounted on imported anti-skid casters with locking facility, Baby Tray four sides clear acrylic panels front and both Sides collapsible with both head up & down tilting facility, Clear acrylic base for under surface phototherapy unit with X -Ray cassette compartment, ceramic heater with parabolic reflector to maintain uniform temp across the baby bed Examination Latest power saving high bright LED, Side monitor tray provision to keep Monitor or Pulse Oximeter, one-year warranty, having ISO ISO13485, CE or USFDA approved product certificate.	Set		
21	Weighing Machine with Height Measuring Scale	A pan type infant weighing scale for measurement of height and weight of neonates, digital baby scale with large clear digital display, Metric measurement in KG with a weighing range: 0-15kg, attachable length measure with measuring range from 35 to 80cm, Pan material: robust acrylic or moulded engineering ABS plastic, Fully enclosed construction makes for ease of cleaning, space saving and light weight to move, Shall come with rechargeable batteries and shall come with built-in charger or external battery charger, one year warranty, having ISO, CE or USFDA certified product.	Set		
22	Instrument Trolley	Instrument trolley for keeping of essential medicine for patient use, Size: Approx. 610 L x 450 W x 810 H mm., Frame work should be of MS Tubing, have Stainless steel shelves, have one stainless steel railing on upper shelf, Trolley should be mounted on 50 mm dia castors,	Set		

“कृष्णनगर नगरपालिकाको प्रतिवर्द्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवर्षी  
लुम्बिनी प्रदेश, नेपाल

फोन नं. ०१६५२०९४७  
फोक्स नं. +९७७ ९६५२०६८

प.स. २०८२/८३  
च.नं.

		should be Finish in epoxy powder coated, one-year warranty, Having ISO, CE or USFDA approved product certificate.			
23	Sphygmomanometer (BP apparatus) with stethoscope.	Aneroid sphygmomanometer having a dial to show clear numbers and pointer / needle for measurement of pressure, Packed in easy carrying high quality pouch made of waterproof cloth to accommodate cuff, and inflation bulb, Must provide blood pressure cuffs for child size and for adult size (regular). Dual type stethoscope - Physician's stethoscope, Dual, cup/bell and diaphragm head, Head and ear tube assembly to be made of non-ferrous metal, Tubes to be synthetic material and ear tubes to have shaped plastic cushion ends, one year warranty, having ISO 9001 or ISO 13485 or better for medical devices.	Set		
24	Bed Side Patient Monitor	A bedside multi-function patient monitor to monitor physiological parameters of all patient categories, at bedside, NICU, ICU OT or during transportation applicable for Adult, Pediatric and neonatal application, Patient monitor 5 parameter with ECG, Resp., SpO2, NIBP and Temp., All accessories, consumables, wall mounts and etc, High resolution at least 12" high resolution colour LED touch screen and upto 7 waveforms display, Protection against defibrillator discharge, facility of calculation of drug concentration, Should show Perfusion Index (PI) numeric, should support pace detection, Real Time ST complex view and comparison, ST analysis and ST templates, Real Time QT/QTc monitoring, 24 hours ECG analysis summery, Should be no fan design, one-year warranty, ISO, CE and USFDA(510k) approved product certificate.	Set		
25	Thermometer, Clinical, Digital	Clinical digital thermometer to check the body temperature, Human oral use, Flat type, wide thermometer, safe to use, no glass, no mercury, Measurement range: 32°C to 45°C, shall work on a battery, Water proof for ease of cleaning, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
26	Drum Sterilizing- 165mm Diameter	Sterilizing drum with carrying handle, 165 mm diameter, Drum must have an effective closing lid with a clip lock, a carrying handle, air vents system to allow steam to circulate freely during the sterilisation cycle, Material: Austenitic	Set		

“कृष्णनगर नगरपालिकाको प्रतिवेदना, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु  
लुम्बिनी प्रदेश, नेपाल

प.स. २०८२/८३  
च.नं.

फोन नं. ०९६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६८

		stainless steel, smooth surface, External diameter: approximately 150 to 165mm. Height: approximately 100 to 120mm. Thickness: approximately 0.6 to 0.7mm., one-year warranty, having ISO 9001 or ISO 13485 or better for medical devices			
27	Drum Sterilizing-340mm Diameter	Sterilizing drum with carrying handle, 340 mm diameter, Drum must have an effective closing lid with a clip lock, a carrying handle, air vents system to allow steam to circulate freely during the sterilisation cycle, Material: Austenitic stainless steel, smooth surface, External diameter: approx. 340 to 350 mm., Height: approx. 180 to 200 mm. Thickness: approx. 0.6 to 0.7 mm., one-year warranty, having ISO 9001 or ISO 13485 or better for medical devices	Set		
28	IV Stand	Adjustable IV/saline stand with five legs, with double hooks and five swivels castors, IV stand shall be made of tubular anti-corrosive and antirust treated epoxy powder coated mild steel, base fitted on mobile on swivelling castors of approx. diameter Ø50mm. The castors must be non-rusting and non-marking, height adjustable from approximately 1620mm to 2340mm; with a screw knob for height adjustment, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
29	ECG Machine Portable (12 Channel) with Trolley	Portable digital ECG machine, Trolley with complete accessories, must be able to acquire all 12 leads simultaneously, Min. 7" touch screen LCD display with display shows ECG-curves, heart rate, patient name and ID, time, speed and filter setting, Continuous check on the quality of electrodes connection, visual alert on loss of signal, Splash-resistant function keys, Appropriately protected for operation during defibrillation, Front panel provides indication of system and battery status, electrode connection, Built-in high-resolution thermal printer automatic and manual print-out mode, Rechargeable battery integrated in device, one year warranty, ISO, CE and USFDA approved product certificate.	Set		
30	Phototherapy	Phototherapy machine is used for treatment for jaundice where the exposure of skin to a light source converts unconjugated bilirubin molecules into water soluble isomers that can be	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवर्धन  
लुम्बिनी प्रवेश, नेपाल

फोन नं. ०१९६२०९४७  
फैक्स नं. +९७७ ९६६२०६६४

प.स. २०८२/८३  
च.नं.

		excreted by the usual pathways, LED lights should be controlled through micro controller, Irradiance : $>45 \mu\text{W}/\text{cm}^2/\text{nm}$ at a distance of 30 cm, have optical design to minimizes spill light outside the bed area, Wavelength should be from 450 to 465 nm narrow band, Should have Low & High setting Irradiance Adjustment, Lamp Usages Hours : $>20,000$ hrs, have Safety Temperature Cut-off function, having ISO ISO13485, CE or USFDA approved product certificate.			
31	Needle Destroyer	The needle should be completely incinerated without visible sparking and arcing, Built in SS sharp blade cutter to cut the nozzle of the syringe, Provision of removable and reusable collection receptacle for syringe nozzle and needle debris of approximately 500 syringes, shall be made of high grade stainless steel material, destroy of all types of needle, shock proof and provided with proper insulation as per international safety standard norms, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
32	Trolley, Medicine	A medicine/drug trolley for storage and delivery of medicines and drugs to patients in wards of healthcare facilities, shall be constructed fully with 304 grade stainless steel sheet and tube or better, Overall size: approximately 900 H x 460 W x 760 L mm., Flat top of SS and at least 6 inch deep removable bucket at bottom, Multiple drawers (minimum 6) made of high quality materials with telescopic channels, below the platform, Minimum 6 small boxes to keep drugs, provision for hanging one IV fluid bottle, Shall be mobile on 4 x 50mm diameter (approx.) robust 360 deg., one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
33	Patient Screen	Epoxy powder coated three-fold patient screen, Patient Screen with light blue curtain and fully swivel twin wheel castors, Three-fold ward screen approx. total size 2450 w x 1650 mm, three section 600mm span width., and each foot to have two swivel castors size 50mm, Curtain must have no gaps between sections, having ISO 9001 or ISO 13485 or better for medical	Set		
34	OT SCRUB	Should have floor or wall mounted, should have	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाकार्गत कार्यालय

कृष्णनगर, कपिलवस्तु  
तुम्बिनी प्रदेश, नेपाल

फोन न. ०१५२०१४७  
फोकस न. +९७७ ९८५२०६८

प.स. २०८२/८३  
च.नं.

	STATION	electronic or manual taps with thermostatic controller, should have double scrub sink station, Scrub Sink are made from SS 304 grade material, Scrub foot and hand operated, one-year warranty, Having ISO, CE or USFDA approved product certificate.		
35	ICU Bed (Manually Operating)	ICU Bed (Manually Operating) with complete accessories, ICU Bed mainframe perforated heavy gauge sheet, base of the bed must have four sections, have X-Ray translucent back section made up of high pressure laminate, X-Ray cassette holder underneath the back section, Base frame & support frame must be made up of Stainless steel or pre-treated rust free oven baked epoxy powder coated washable paint, manual adjustment Height: 460-700mm, equipped with large castors (diameter 100mm approx.) with central braking/individual braking system and steering facility, Four section mattress, made up of high density foam with Anti-Microbial agent incorporated into all components that assists in prohibiting growth of bacteria & fungi and easy to clean, Dimensions of bed: Length: 2150 -2250mm, Width: 850 - 1020mm, Mattress Size: appropriate as per bed size, , one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set	
36	Electric ICU Bed	ICU Bed mainframe perforated heavy gauge sheet. The system must be mobile and electrically operated adjustable for heights, trendelenburg etc., Ergonomic electric ICU bed shall be 4 motor controlled 5 function electric ICU Bed with complete accessories, base of the bed must have four sections, Base frame & support frame must be made up of Stainless steel or pre-treated rust free oven baked epoxy powder coated washable paint, have electrically adjustment of Height: 460-700mm, equipped with four articulated half-length tuck away side rails, equipped with large castors (diameter 100mm approx.) with central braking/individual braking system and steering facility, Four section mattress, made up of high density foam with Anti-Microbial agent incorporated into all components that assists in prohibiting growth of bacteria & fungi and easy to clean, Dimensions of bed: Length: 2150 -2250mm, Width: 850 -	Set	

“कृष्णनगर नगरपालिकाको प्रतिवर्द्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत  
प्रमुख प्रशासनिक



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवर्ती  
तुम्बिनी प्रदेश, नेपाल

फोन नं. ०७६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६८


प.स. २०८२/८३  
च.नं.

		1020mm Mattress Size: appropriate as per bed size, , one-year warranty, Having ISO, CE or USFDA approved product certificate.			
37	Bench for Patient Attendant	The bench for patient attendants is a foldable visitor's seat cum bed, Overall approx. dimensions ( $\pm 10\%$ ): Height 380 x Width 600 x length 1830 (all in mm). The centre fix portion length must be around 1200mm and two side folded length must be around 300mm, side portions must be provided with brackets to hold with fix bench when used as bed, Frame: Mild steel angle of 35 x35 x 5mm thickness, Top: 16 SWG CRCA sheet, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
38	Defibrillator-Biphasic	The machine should have facility for ECG monitoring, Bi-Phasic Defibrillation with facility to print ECG through in-built thermal printer, TFT display with screen size at least 7" or more, have both Synchronous and Asynchronous mode, biphasic technology based having energy selection of 2-300 Joules, capable of monitoring ECG through ECG cables, Multifunction electrodes and external paddles, able to defibrillate Adult, Paediatric patients, should be compact, portable with built in rechargeable battery, able to provide metronome signal for CPR, Must submit ISO13485 for Medical Devices AND certified with EU-CE or US-FDA (510K).	Set		
39	Hospital Bed with mattress	Hospital Bed epoxy powder coated with high density PU foam mattress, shall be anti-corrosive and antirust treated epoxy powder coated welded steel bar or epoxy powder coated 16gauge perforated sheet top to improve ventilation, patient bed shall be fixed height with 2 sections where the backrest section could be elevated by mechanical hand crank located at the foot-end of the bed, Bedhead and foot-end panel (head and foot bows) shall be made of either between 4-6 anti-corrosive and antirust treated epoxy powder coated vertical tubular tube of not less than 30mm in diameter, Both bedhead and foot-end panel shall be detachable, Shall provide with one no. Two section mattress of dimensions at least (2000mm L x 900mm W) with washable cover of good quality. The mattress must be made of high density PU	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

  
मुख्यमन्त्री जनधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाका कार्यालय

कृष्णनगर, कापिलवस्तु  
तुम्बिनी त्रिवेदी, बिहार

फोन नं. ०७६५२०१४७  
फ्याक्स नं. +९७७ ७६५२०६८४

प.स. २०८२/८३  
च.नं.

		foam of 100mm thickness, having ISO ISO13485, CE or USFDA approved product certificate.			
40	Handheld Pulse Oxymeter	Handheld Pulse Oxymeter, complete unit with all standard accessories, Display min. 3.5-inch TFT/LCD display or more, backlight illuminated, Parameters and waveform displayed- SpO2, pulse rate, system status, plethysmogram, menus for user settings, SpO2 dual-wavelength LED technique, Measuring mode should be continuous or spot check, Display SPO2 range: 0-100 %, Pulse rate: measuring range must be 30-250bpm, Audio-visual alarms: High/low SpO2 and pulse rate, sensor off, sensor failure, low battery, have PC software for data communication, Inbuilt rechargeable battery and shall have battery back-up for at least 12 hours, one-year warranty, Having ISO, CE or USFDA approved product certificate	Set		
41	Trolley, Dressing	Basic trolley for transport of nursing supplies between departments in healthcare facilities, Stainless steel dressing trolley with 2 shelves, Heavy carriage mounted on 4 swivel anti-static castors, of which two with brakes, Fit on both sides with push bar-handle, Top and bottom shelves with guard rails, Overall: Approximately ( $\pm 10\%$ ) 900 x 550 x 1000mm (l x w x h), Frame, diameter: 30mm., Thickness of shelves: Approximately 1.5mm, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
42	Bag Valve Mask (BVM)-Ambu Bag	It shall be self-inflatable and must have pop up valve (non-return valve), attachment for oxygen tube & oxygen reservoir, Bag must be made up of medical grade silicon, latex free double layered which retain sensitivity and it must be resistant to rough use, Must be supplied with Oxygen reservoir bag of 2000ml and shall deliver tidal volumes of 500-800ml, shall be autoclavable, adaptable to all type of facemasks, come with appropriate sized facemasks, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
43	Foot Step (Double)	Two step stairs for patient to mount on examination/delivery table and bed, shall be made of anti-corrosive and antirust treated	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

अधिकृत  
प्रमुख



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु

लुम्बिनी प्रदेश, नेपाल

फोन नं. ०७६५२०९४७  
फैक्स नं. +९७७ ९६५२०६८४

प.स. २०८२/८३

च.नं.

कृष्णनगर नगरपालिका

लुम्बिनी प्रदेश, नेपाल

		epoxy powder coated steel with a tubular frame with heavy-duty washable finishes, Dimension: approximately 45 H x 45 W x 45 D cm, Top of the steps to have non-slip surface (e.g., embossed aluminium, stair grip or rubber), one-year warranty, Having ISO, CE or USFDA approved product certificate.			
44	Laryngoscope Set, Children & Adult	Laryngoscope set for children & adult, complete unit, shall have large hollow, cylindrical, slightly ribbed handle, Handle to be made of either chromium-plated or stainless steel, provision to insert two batteries, provision for fitting various sizes and types of depressors, shall come with a set of four stainless steel depressors, with halogen bulb of different sizes, shall be autoclaveable /sterilizeable, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
45	Otoscope Set	Otoscope set shall have diagnostic head threaded on a handle, shall have pivoting head with a wide-angle viewing lens of magnification 3x, Shall come with reusable plastic specula, which can be attached to frontal part, have LED Lamp, with bright white light, Handle shall have on/off switch, works with 2 AA-batteries, one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
46	Infusion Pump	Infusion pump must be compatible with standard intravenous tubing set of different companies, High Definition min.3.2 Inch Color TFT with user friendly interface, Infusion Mode Rate Mode, Time Mode and Drug/Weight Mode, Flow rate range 0.1 ml/hr-1200 ml/hr, Volume Limit 0.1 ~ 9999 ml, should have K.V.O. Rate, Bolus Rate, Purge Rate, Bubble Detection, Should have Automatic IV Set Calibration, Dual Bolus Function Automatic and Manual, have atleast 2000 history records, vertical & rotatable fixation clamp, complete unit with all standard accessories, One-year warranty, having ISO, EU-CE or USFDA approved product certificate.	Set		
47	Syringe Pump	Syringe pump should be compatible to syringes of different standard companies of different capacities: 5 ml, 10ml, 20ml, 30 ml, 50/60 ml, High Definition 2.5 Inch Color LCD with Infusion Rate Display, Rate Mode, Time Mode	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

मुकुर शुभ अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कोपलवस्तु

तुम्बिनी प्रदेश, नेपाल

प्रधानमंत्री, राज्य

फोन नं. ०७६५२०९४७  
फ्याक्स नं. +९७७ ९६५२०६८

प.स. २०८२/८३

च.नं.

		and Drug/Weight Mode, Flow rate range 0.1 ml/hr-1200 ml/hr, Volume Limit 0.1 ~ 9999 ml, Volume Limit 0.1 ~ 9999 ml, should have K.V.O. Rate, Bolus Rate, Purge Rate, Bubble Detection, Should have in-built drug Library, Dual Bolus Function Automatic and Manual, have atleast 2000 history records, vertical & rotatable fixation clamp, complete unit with all standard accessories, One-year warranty, having ISO, EU-CE or USFDA approved product certificate.			
48	LED View Box (Single Film)	View box used for viewing the images of X-ray, CT/MRI at healthcare facilities, operates on mains electric supply, Ultra slim design, LED backlit and shall have separate on/off function with separate rotary continuous adjustable brightness control at the bottom of panel for convenient operation, Front sheet shall be made of polycarbonate or acrylic with antiglare, Illumination: High bright white LEDs, LED light source shall have at least 20000 hours of operation, One-year warranty, having ISO, EU-CE or USFDA approved product certificate.	Set		
49	Fetal Doppler	Fetal Doppler monitor shall be portable/handheld, lightweight and easy to carry, come with at least 2-inch colour LCD display with backlit to provide excellent display quality, should come with 2.5MHz Detachable ultrasound probe, Should come with In-built rechargeable Li-ion battery, Assure accurate FHR detection with clear sound, FHR measurement Range 50 – 199bpm, Working Mode: Continuous Wave Doppler, Should have Dual Audio Output for Providing enhanced quality fetal heart sound switch built-in loud speaker and headphone audio jack, One-year warranty, having ISO, EU-CE or USFDA approved product certificate.	Set		
50	BIPAP (Bi-level Positive Airway Pressure)	Machine shall be based on the solenoid valve technology and shall offer preferably auto track sensitivity and adjustable rise time, IPAP: 3 to 25cmH <sub>2</sub> O or Higher, Should have minimum 2.5 inch color LCD display, Display: Tidal Volume, Leakage, Ti, Frequency, Triggering, Pressure Delivery, Breath rate: 0 to 20PM or Higher with spontaneous for time mode, Max flow: 90 L/min-95 L/min at 4 hPa, - 25 hPa or	Set		

“कृष्णनगर नगरपालिकाको प्रतिव्रद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

संसदीय आधिकृत  
मुकु



**कृष्णनगर नगरपालिका**  
**नगर कार्यपालिकाका कार्यालय**  
**कृष्णनगर, कपिलवस्तु**  
**लुम्बिनी प्रदेश, नेपाल**

फोन नं. ०७६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६६४

प.स. २०८२/८३  
च.नं.

S1	CSSD Autoclave, Horizontal, Double Door, 250 liters or more	Higher, One-year warranty, having ISO, EU-CE or USFDA approved product certificate.  Fully automatic Horizontal CSSD management Autoclave, at least 250 liters or more, Microprocessor Controlled PLC horizontal electrically heated autoclave with automatic program control, sterilizer shall be pneumatically (Compressed Air) operated, double door, triple jacketed chamber front loading, shall be able to sterilize wrapped instruments, unwrapped instruments, linen, glassware, liquids etc. complete unit with all standard accessories. Having ISO,CE (93/42 EEC Directives) or USFDA approved product certificate.	Set		
		TOTAL			
		VAT			
		GRAND TOTAL			

**Price Estimation for OT SET UP SURGICAL INSTRUMENTS**

S.N	Name of Equipment	Description	Unit	Unit price	Remarks
1	Cupboards and cabinets for store	For tools, or employee use Materials: Body: Metal (powder-coated), Shutter/Doors: glass for display cabinets Handles & Hinges: Stainless steel; Lockable compartments for valuables, Rounded corners Dimensions, Approx. ± 10%: Overall: 1800–2400 mm x 450–600 mm x 600–1200 mm (h x d x w), one-year warranty, having ISO 9001 or ISO 13485, CE or USFDA approved product certificate.	Set		
2	Working desk for anesthesia, nursing station / gowning	Materials: Body: Wood, metal or engineered composites, Storage: Drawers, shelves, or cable management systems, Ergonomics: Rounded edges, keyboard trays, and monitor stands to reduce strain. Dimensions, Approx. ± 10%: Overall: 28–30 inches (71–76 cm) high, with a depth of 24–30 inches (61–76 cm) and a width ranging from 48–72 inches (122–183 cm), having ISO 9001 or ISO 13485, one-year warranty, ISO, CE or USFDA approved product certificate.	Set		
3	UV light source	UV sources cover 200–405 nm, with options for LEDs, lamps, or laser-based systems depending on application having ISO 9001 or ISO 13485, one-year warranty, CE or USFDA approved product certificate.	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कंपिलवस्तु  
लुम्बिनी प्रदेश, नेपाल  
(४८२०८८), रेप्ला

फोन न. ०१५२०९४७  
फ्याक्स न. +९७७ ९६५२०६८

प.स. २०८२/८३  
च.नं.

4	Kidney tray (600 cc)	Capacity: 600 cc (approx. 0.6 liters), Material: High-quality Stainless Steel (SS 304 grade) – corrosion resistant, durable, reusable, Shape: Kidney-shaped (concave on one side, convex on the other) for easy placement against the body, Rounded, smooth edges, Polished stainless steel surface, Sloping walls Dimensions, Approx. $\pm 10\%$ : Overall 10 inches (length) $\times$ 4.5 inches (width), one-year warranty, having ISO, CE or USFDA approved product certificate.	Set		
5	Covered instrument tray	stainless steel or autoclavable container with a fitted lid Materials: 201 or 304 stainless steel Dimensions, Approx. $\pm 10\%$ : Overall: 10-9-5 inches x 8.25 – 6.3 inches x 4 -2 inches, one-year warranty, ISO, CE or USFDA approved product certificate.	Set		
6	Mackintosh sheet	Materials: waterproof, reusable protective sheets made of vulcanized rubber or soft medical-grade fabric Dimensions, Approx. $\pm 10\%$ : Overall widths around 90 cm and lengths around 35 meters, one-year warranty, ISO, CE or USFDA approved product certificate.	Set		
7	Lead Gown	Material: Lead sheets with lighter alloys or composite materials, Lead equivalence: Usually 0.25–0.5 mm Pb Weight distribution: Ergonomic straps or exoskeleton. Drop-Away Apron, Front Protection Apron one-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
8	Bowl stand	Material: 18/10 stainless steel (AISI 304) for corrosion resistance and sterilization safety, Mobility: Swivel castors or wheels (often 4 or 5-legged chassis) Single-bowl or Double-bowl variants Height around 80 cm one-year warranty, Having ISO 13485 and CE or USFDA approved product certificate.	Set		
9	Cheatle forceps in jar	Cheatle forceps in a jar refer to a sterilization setup where the forceps are stored inside a specially designed stainless steel jar, Cheatle forceps: high-quality stainless steel, long, curved, sterilizing forceps (usually 25–32 cm) without a ratchet	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्रमुख प्रशासकाल अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कम्पिलवस्तु नगरपालिका  
लुम्बिनी प्रदेश, नेपाल  
८८५२०६८, नेपाल

फोन न. ०७६५२०९४७  
फ्याक्स न. +९७७ ७६५२०६८४

प.स. २०८२/८३  
च.नं.

		Sterilization Jar: A cylindrical stainless steel container ,Heavy base or anti-tilt bottom plate for stability,Open mouth or lid for quick access. Dimensions, Approx. $\pm 10\%$ : Overall Different sizes ( 55 x 190 mm, 2" x 7" ) One-year warranty, Having ISO, CE or USFDA approved product certificate.			
10	Surgical Drapes	<p>Material Requirements: Woven cotton or polyester blends (reusable), Must withstand boiling, autoclaving, and washing, Resistant to 0.1% chlorine solution for disinfection, Lightweight, low-linting, and fluid-repellent, laminated with plastic films for fluid strike-through resistance , Impregnated with iodine or other agents to reduce microbial load.</p> <p>Flammability compliance: Must meet CFR Title 16 Part 1610 Class 1 standards</p> <p>Typical Dimensions</p> <p>Standard surgical drape: 75 x 90 cm or 90 x 150 cm (General coverage of patient body)</p> <p>Mayo cover drape : Custom fit (Covers Mayo instrument stand)</p> <p>Patient lift-cover drape: 110 x 200 cm(Full-body coverage for patient transfer)</p> <p>Incise drape: Variable (Applied directly to incision site )</p> <p>One-year warranty, Having ISO 13485, CE or USFDA approved product certificate.</p>	Set		
11	OT dress and slippers	<p>1. Scrub Suit</p> <p>Material: Cotton/polyester blends or non-linting fabrics.</p> <p>Design: Short-sleeved, V-neck top with drawstring pants.</p> <p>Color: Usually green or blue to reduce glare and eye strain.</p> <p>Sterility: Must be clean, laundered daily, and worn only inside OT.</p> <p>2. Head Cover (Cap/Hood)</p> <p>Types: Disposable caps, hoods for full coverage (especially for bearded staff).</p> <p>Material: Non-woven or cloth, breathable but particle-resistant.</p> <p>3. Mask</p> <p>Type: Surgical mask, N95</p> <p>Fit: Must cover nose and mouth completely</p> <p>4. Footwear</p>	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत  
प्रमुख प्राप्तिकारी



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु  
तुम्बिनी प्रदेश, नेपाल  
(प्रदेश, नेपाल)

फोन नं. ०७६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६८४

प.स. २०८२/८३

च.नं.

		Specifications: Closed shoes ,OT-specific slippers. Material: Washable, slip-resistant, and easy to disinfect. Add-ons: Shoe covers 5. Sterile Gown (for surgeons and scrub nurses) Material: Fluid-resistant, lint-free, breathable fabric. Design: Long-sleeved with tight cuffs, covers from neck to knees. 6.Gloves Type: Sterile surgical gloves for direct patient contact. Material: Latex, nitrile, or neoprene (powder-free preferred). One-year warranty,ISO, CE or USFDA approved product certificate.			
12	Color coded dust bin	Material: High-density polyethylene (HDPE) Design Features: Foot pedal or swing lid for hygiene Wheels for large bins (two or four-wheeled) Clear labeling with symbols/text for easy identification Capacity Options: 30–60 liters One-year warranty, ISO, CE or USFDA approved product certificate.	Set		
13	Wall Clock	Dimensions & Shape: 14-20 inches, rectangular Quartz Movement: Battery-operated Hour, minute, and second LED or LCD display showing time numerically; often includes date, day, and temperature. One-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
14	Torch light	Light Output : 500+ lumens Beam Distance: 300+ m Larger, rechargeable/tactical torches: 10–50+ hours Water resistance: IPX4 (splash-proof) to IPX8 (submersible). Impact resistance: Drop-tested from 1–2 meters. ATEX-certified models One-year warranty, Having ISO 9001 or ISO13485 AND CE Marking Compliance Electrical Safety approved product certificate.	Set		
15	Catheter set	Sterile drapes :50×50 cm (non-folded), 60×60 cm (with aperture) Forceps: 12.8 cm dressing forceps(High-grade	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

इमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत  
प्रमुख



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु

लुम्बिनी प्रदेश, नेपाल

फोन नं. ०१५२०९४७  
फैक्स नं. +९७७ ९८५२०६८

प.स. २०८२/८३

च.नं.

		surgical stainless steel) One-year warranty, Having ISO, CE or USFDA approved product certificate.																								
16	Suture set Suture removal set	<p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use</p> <p><b>Suture Set Contents</b></p> <p>1 Needle holder (standard size, ~14 cm) 1 Long needle holder (18–20 cm, stainless steel, serrated jaws for firm grip) 1 Pair of dissecting forceps (toothed and non-toothed, ~12–14 cm) 1 Pair of scissors (straight and curved, ~14 cm) 1 Pair of Scalpel handle with blade (No. 3 and 4) 1 Tray or pouch (sterile, reusable)</p> <p><b>Suture Removal Set Contents</b></p> <p>1 Pair of suture removal scissors (small, curved tip for cutting sutures) 1 Pair of fine forceps (to grasp and pull sutures) 1 Small tray or sterile pouch</p> <p>One year warranty, ISO, CE or USFDA certified product.</p>	Set																							
17	Dressing set different size	<p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use</p> <p><b>Contents</b></p> <table> <tbody> <tr> <td>Mayo Scissors</td> <td>14.5 cm</td> <td>Straight, TC</td> </tr> <tr> <td>Dissecting Scissors</td> <td>14.5 cm</td> <td>Sharp/Blunt</td> </tr> <tr> <td>Lister Bandage Scissors</td> <td>15 cm</td> <td>For cutting</td> </tr> <tr> <td>Spencer Stitch Scissors</td> <td>11 cm</td> <td>For suture re</td> </tr> <tr> <td>Foerster Sponge Forceps</td> <td>25.5 cm</td> <td>For handling</td> </tr> <tr> <td>Dressing Forceps</td> <td>16 cm</td> <td>Straight or t</td> </tr> <tr> <td>Kelly Forceps</td> <td>16 cm</td> <td>Hemostatic</td> </tr> </tbody> </table> <p>One year warranty, having ISO, CE or USFDA certified product.</p>	Mayo Scissors	14.5 cm	Straight, TC	Dissecting Scissors	14.5 cm	Sharp/Blunt	Lister Bandage Scissors	15 cm	For cutting	Spencer Stitch Scissors	11 cm	For suture re	Foerster Sponge Forceps	25.5 cm	For handling	Dressing Forceps	16 cm	Straight or t	Kelly Forceps	16 cm	Hemostatic	Set		
Mayo Scissors	14.5 cm	Straight, TC																								
Dissecting Scissors	14.5 cm	Sharp/Blunt																								
Lister Bandage Scissors	15 cm	For cutting																								
Spencer Stitch Scissors	11 cm	For suture re																								
Foerster Sponge Forceps	25.5 cm	For handling																								
Dressing Forceps	16 cm	Straight or t																								
Kelly Forceps	16 cm	Hemostatic																								
18	I and D set	<p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use</p> <p><b>Contents</b></p> <p>1 Procedure tray 2 GSF forceps (blue) 2 Sponge forceps (8-10) 1 Hand towel (C-fold) 1 Knife handle (size 3/4)</p>	Set																							

“कृष्णनगर नगरपालिकाको प्रतिवेद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु

लुम्बिनी प्रदेश, नेपाल

कृष्णनगर, कपिलवस्तु

लुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०९४७  
फ्याक्स न. +९७७ ७६५२०६८

प.स. २०८२/८३

च.नं.

		1 pair of dissecting forceps(toothed and non-toothed, ~12-14 cm) 1 Scoop/curette 1 Lister sinus forceps 1 pair of small curved artery forceps ( 4-6 inches) 1 pair of larged curved artery forceps (6-8 inches) 1 pair dissecting scissors (6 inches) 1 Aperture drape 1 Limpet bag Sterile field wrap One year warranty, having ISO, CE or USFDA certified product.		
19	Appendectomy set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use Contents 1 pair of Mayo Scissors (curved & straight, 14 cm) 1 pair of Metzenbaum Scissors (curved & straight, 18 cm) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm) 1 Pair of suture scissors (straight and curved, ~14 cm) 6 pairs of Artery forceps(4-6 inches) 4 Allis Tissue Forceps (15 cm) 4 Mosquito artery Forceps( 4-5 inches) McIndoe Forceps (15 cm) 4 Kocher Tissue Forceps( 6 inches) 4 Babcock Intestinal Forceps (#4) 1 pair of Mayo-Hegar Needle Holders (7-8", tungsten carbide) Scalpel Handle #3 and #4 (2 pcs) 2 pair of Richardson Retractor (small and medium) 1 pair U.S. Army Retractor (8.5") 5 Backhaus Towel Clamp (5¼") Rochester-Ochsner Forceps (straight, 8") Adson Tissue Forceps (serrated & toothed) Russian Tissue Forceps (8") Dressing Forceps Gall Duct Forceps 5 Towel clips 3 Sponge holding forceps(8-10 inches) 3 Metal suction tubes(small/medium/large) 3 Bowl(small/medium/large) Kidney tray	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्रमुख प्रशासकीय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर कार्यपालिका  
तुम्बिनीपालेश लेपल

प.स. २०८२/८३  
च.नं.

फोन न. ०७६५२०९४७  
फ्याक्स न. +९७७ ७६५२०६६४

		One year warranty, having ISO, CE or USFDA certified product.			
20	C- Section set	<p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use</p> <p>Contents</p> <p>1 pair of Knife handle (#3 and #4 ) 1 Pair of small suture scissors (straight and curved, ~12cm) 1 Pair of large suture scissors (straight and curved, ~14cm) 1 pair of small Mayo Scissors (curved &amp; straight, 12 cm) 1 pair of large Mayo Scissors (curved &amp; straight, 14 cm) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm) 1 Adson tooth dissecting forceps 4 Kocher Tissue Forceps( 6 inches) 6 pairs of Artery forceps(4-6 inches) 4 Allis Tissue Forceps (toothed 15 cm) 1 pair of small needle holder 1 pair of medium needle holder 4 Green Armitage forceps 3 Sponge holding forceps(8-10 inches) 5 Towel clip 1 pair large right angle retractor 1 Doyens retractor 1 Metal suction tubes 3 Bowl (small, medium, Large) 2 Kidney tray One-year warranty, having ISO ISO13485, CE or USFDA approved product certificate.</p>	Set		
21	Abdominal Hysterectomy set	<p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use</p> <p>Contents</p> <p>1 pair of Knife handle (#3 and #4 ) 1 Pair of small suture scissors (straight and curved, ~12cm) 1 Pair of large suture scissors (straight and curved, ~14cm) 1 pair of small Mayo Scissors (curved &amp; straight, 12 cm) 1 pair of large Mayo Scissors (curved &amp; straight, 14 cm)</p>	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिका कार्यालय

फोन नं. ०९६५२०९४९  
फैक्स नं. +९१ ९६५२०६८

प.स. २०८२/८३

च.नं.

कृष्णनगर नगरपालिका  
नगर कार्यपालिका कार्यालय

	<p>1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm)      1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm)      6 Kelly Forceps (straight 5½")      2 Schnidt Hemostat( curved)      2 Heaney-Ballentine Clamps (straight 7 inches)      1 Adson tooth dissecting forceps      4 Kocher Tissue Forceps( 6 inches)      6 pairs of Artery forceps(4-6 inches)      4 Allis Tissue Forceps (toothed 15 cm)      1 pair of small needle holder      1 pair of medium needle holder      4 Hysterectomy Artery forceps(8-10 inches)      2 Right angle hysterectomy clamp(8-10 inches)      2 Straight hysterectomy clamp(8-10 inches)      1 Vulsellum forceps (8-10 inches)      3 Sponge holding forceps(8-10 inches)      5 Towel clip      1 pair large right angle retractor      1 Doyens retractor      1 Metal suction tubes      3 Bowl (small, medium, Large)      2 Kidney tray      One year warranty, having ISO, CE or USFDA certified product.</p>		
22	<p>Vaginal Hysterectomy set</p> <p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use  <b>Contents</b>      1 pair of Knife handle (#3 and #4 )      1 Pair of small suture scissors (straight and curved, ~12cm)      1 Pair of large suture scissors (straight and curved, ~14cm)      1 pair of small Mayo Scissors (curved &amp; straight, 12 cm)      1 pair of large Mayo Scissors (curved &amp; straight, 14 cm)      1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm)      1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm)      1 Adson tooth dissecting forceps      4 Kocher Tissue Forceps( 6 inches)      12 pairs of Artery forceps(4-6 inches)      6 Mosquito artery forceps (5 inches)      8 Allis Tissue Forceps (toothed 15 cm)</p>	Set	

“कृष्णनगर नगरपालिकाको प्रतिवर्द्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कर्पिलवास्तु  
तुम्बिनी प्रदेश, नेपाल

फोन न. ०१५२०९४७  
फोकस न. +९७७ ९८५२०६८८

प.स. २०८२/८३  
च.नं.

	<p>1 pair of small needle holder 2 pair of medium needle holder 2 vulsellum forceps (8-10 inches) 1 uterus irrigating catheter 1 uterine sound (probe 10-12 inches) 1 large sims speculum 4 Sponge holding forceps(8-10 inches) Tenaculum Forceps Jackson Vaginal Retractors (large &amp; medium blades) 5 Towel clip 1 pair large right angle retractor 1 Doyens retractor 1 Metal suction tubes 3 Bowl (small, medium, Large) 2 kidney tray 1 instrument tray One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>		
23	<p>Orthopedics Basic surgery set</p> <p>High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use</p> <p>Contents</p> <p>1 each Scalpel Handles (No. 3, No. 4, No. 7) 1 each Tissue Forceps Bonney (1×2 teeth, 175 mm), Lane (2×3 teeth, 150 mm), Standard (13 cm), Potts-Smith (7½") 1 Pair of small suture scissors (straight and curved, ~12cm) 1 Pair of large suture scissors (straight and curved, ~14cm) 1 pair of small Mayo Scissors (curved &amp; straight, 12 cm) 1 pair of large Mayo Scissors (curved &amp; straight, 14 cm) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm) 2 pair of Operating scissors (sharp/blunt, sharp/sharp, 5½") 1 Dressing Forceps (Serrated, 130 mm) 6 Kocher Tissue Forceps( 6 inches) 6 Artery forceps(4-6 inches) 4 Allis Tissue Forceps (toothed 15 cm) 1 pair of small needle holder 2 pair of medium needle holder Periosteal raspatory</p>	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्रमुख प्रशासकीय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर  
कार्यपालिका  
तुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०९४७  
फाक्स न. +९७७ ७६५२०६८

प.स.२०८२/८३  
च.नं.

	Periosteal elevator 1 each Bone Curette(small, medium, large) 1 each Osteotome (12-25mm) 1 each Gauge (5-8 mm) 1 Rongeur forceps 1 Steel Scale (6") 1 Langen beck bone holding forceps 1 Kern bone holding forceps 2 Lowman bone clamps 1 Nylon hammer 1 pair two prong blunt retractor 1 pair one prong blunt retractor 1 pair of Right angle retractor( small, medium, large) 1 pair of Senn retractors 1 Bandage Scissors (Lister, 8") 1 Bone lever 1 Mallet (orthopedic) 3 Chisels (various sizes) 1 Gigli saw with handles 1 bone cutter 1 Drill handpiece (manual or powered) 6 sets Drill bits (assorted sizes) 1 Tap set (matching plates/screws) 1 pair Plate benders 1 set of Screwdriver set 2 K-wire cutter 1 Metal suction tip 5 Towel clips 2 Sponge holding forceps(8-10 inches) 1 each bowl (small, medium, large) 1 kidney tray 5 K-wires (assorted) Screws & plates – assorted 1 set of Orthopedic drapes One year warranty, having ISO 9001 or ISO 13485 or better for medical devices.		
24	Basic ENT Surgical Instruments set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use Contents 1 each Scalpel handle( No. 3 and No 4) 6 Artery forceps (curved, small) 6 Artery forceps (straight, small) 2 Needle holder (small) 2 Dissecting forceps (toothed, fine) 2 Dissecting forceps (non-toothed, fine) 1 Scissors (Metzenbaum, fine)	Set

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्रमुख प्रशासनाय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु  
लुम्बिनी प्रदेश, नेपाल

फोन न. ०७६५२०९४७  
फोकस न. +९७७ ७६५२०९६४

प.स. २०८२/८३  
च.नं.

		4 Towel clips 3 set of Suction tip (Frazier No. 3, 5, 7) One-year warranty, ISO, CE and USFDA(510k) approved product certificate.			
25	Ear Surgery Instruments set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use <b>Contents</b> 1 set Aural speculum set (sizes 1-4) 1 Ear curette 1 Rosen knife 1 House sickle knife 1 Mastoid retractor 1 Lempert elevator 3 set of Micro ear suction cannula 1 Ossicular holding forceps One-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
26	Nose Surgery Instruments set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use <b>Contents</b> 1 Nasal speculum (Killian) 1 Nasal dressing forceps 1 Septum elevator (Freer) 1 Turbinate scissor 2 Blakesley forceps (straight & upturned) 1 Nasal suction cannula 1 Kerrison punch One-year warranty, having ISO 9001 or ISO 13485 or better for medical devices	Set		
27	Throat Surgery Instruments set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use <b>Contents</b> 1 Tonsil dissector 1 Tonsil snare 4 Tonsil artery forceps 1 Adenoid curette 1 Tracheostomy tube set 1 Tracheal dilator – 1 5 Nasal speculum (Killian) One-year warranty, having ISO 9001 or ISO 13485 or better for medical devices	Set		
28	Minlap set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use <b>Contents</b> 1 Bowel for skin preparation(small) 1 Each Sterilizing Instrument Tray and Cover 1 Each Emesis basin/ kidney Tray (medium)	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”


वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

इमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

अधिकृत  
लाल



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाका कार्यालय



प.स. २०८२/८३  
च.नं.

फोन नं. ०७६५२०९४७  
पर्याप्ति नं. +९७७ ७६५२०६८

	2 Sponge holding forceps(8-10 inches) 1 Uterine tenaculum ( 10 inch) 1 vulsellum ( 10 inch) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm) 1 Each Graves Vaginal Speculum, (Medium ) 1 Each Graves Vaginal Speculum, (Large) 1 Tubal Hook 1 pair of Babcock Intestinal Forceps (6/8") 1 uterine elevator 1 Richardson-Eastman (single blade) 1 Richardson-Eastman (double blade) 2 Each US Army Retractor Double Ended 1 pair of Kelly Hemostatic Forceps 5" Straight 1 pair of Allis Intestinal Tissue Forceps 6" 2 straight mosquito forceps 5 inches 4 Curved mosquito forceps 5 inches 1 each Rochester Pean Forceps Straight 6" 2 Each Rochester Pean Forceps Curved 8" 1 pair of Mayo Scissors (curved & straight, 14 cm) 1 pair of Metzenbaum Scissors (curved & straight, 18 cm) 4 Each Backhaus Towel Clamps 5" 1 Each Mayo Hegar Needle Holder 8" 2 Each Green Thyroid Retractor 8" 1 Each Operating Scissors 6" Straight S/B 1 Each Metzenbaum Tonsil Scissors 7" Blunt Point 1 Pair of small suture scissors (straight and curved, ~12cm) 1 Pair of large suture scissors (straight and curved, ~14cm) 1 each Scalpel Handles (No. 3, No. 4) 1 Each Adson Tissue Forceps 4" 1 Each Dressing Forceps 6" Serrated 1 Each Dressing Forceps 10" 1 Each Tissue Forceps 1x2th 5 1/2" 1 Each Operating Scissors 5" B/B Straight One-year warranty, Having ISO, CE or USFDA approved product certificate.			
29	Vasectomy Set	High-grade surgical stainless steel, Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use Contents 1 Bowel for skin preparation(small) 2 Sponge holding forceps(8-10 inches) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाका कार्यालय



फोन न. ०७६५२०९४७  
फ्याक्स न. +९७७ ७६५२०६८

प.स. २०८२/८३  
च.नं.

		toothed, ~14cm) 1 vas holding forceps 1 pair of Mayo Scissors (curved & straight, 14 cm) 1 pair of Metzenbaum Scissors (curved & straight, 18 cm) 1 each Scalpel Handles (No. 3, No. 4). 2 straight mosquito forceps 5 inches serrated 2 Curved mosquito forceps 5 inches serrated 1 Each Mayo Hegar Needle Holder 5 ½" 4 Each Backhaus Towel Clamps 5" 1 Each Adson Tissue Forceps(1x2 teeth, delicate 4 ¼") 1 Each Adson Dressing Forceps 4 ¼" Serrated 1 pair of Allis Intestinal Tissue Forceps 4 x5 teeth 5" 1 pair of Iris Scissors (4.5" straight/curved ) 1 Non scalpel dissecting forceps 1 Ringed forceps 1 Surgical Clip Applier (medium size, 6" long, curved tip) 1 Ring Clamp (Fixation Clamp), cantilever design, Ring 3.5–3.8 mm One year warranty, ISO, CE and USFDA approved product certificate.		
30	Hernia repair set	High-grade surgical stainless steel; Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use Contents 1 pair of Mayo Scissors (curved & straight, 14 cm) 1 pair of Metzenbaum Scissors (curved & straight, 18 cm) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm) 1 Pair of suture scissors (straight and curved, ~14 cm) 4 pairs of straight Artery forceps(6-8 inches) 2 straight mosquito forceps 5 inches serrated 2 Curved mosquito forceps 5 inches serrated 4 Each Backhaus Towel Clamps 5" 1 Each Adson Tissue Forceps(1x2 teeth, delicate 4 ¼") 1 Each Adson Dressing Forceps 4 ¼" Serrated 1 pair of Allis Intestinal Tissue Forceps 4 x5 teeth 5" 2 Kocher Tissue Forceps( 6 inches) 2 Babcock Intestinal Forceps (#4) 1 pair of Mayo-Hegar Needle Holders (7/8",	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत  
प्रमुख प्रशासनीय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलेन्नपुर नगरपालिका  
तुम्बिनी प्रदेश, नेपाल  
कार्यालय

फोन नं. ०१६५२०९४७  
फोकस नं. +९७७ ९६५२०६८

प.स.२०८२/८३  
च.नं.

		tungsten carbide) 1 Each Adson Tissue Forceps 4" 1 Each Dressing Forceps 6" Serrated 1 Each Dressing Forceps 10" 1 Each Tissue Forceps 1x2th 5 1/2" 1 Each Operating Scissors 5" B/B Straight 2 Scalpel Handle #3 and #4 1 Hernia clamp 1 pair small and medium right angle retractor 2 Each US Army Retractor Double Ended (2 Each) 2 Sponge holding forceps(8-10 inches) 2 Bowel 1 kidney tray 1 Instrument Stringer 10 inches One-year warranty , Having ISO ISO13485, CE or USFDA approved product certificate.		
31	Laparotomy set	High-grade surgical stainless steel; Flawless, dimensional accuracy, Rugged, reusable, Passed for medical use Contents 1 pair of Mayo Scissors (curved & straight, 14 cm) 1 pair of Metzenbaum Scissors (curved & straight, 18 cm) 1 Pair of small dissecting forceps (toothed and non-toothed, ~12cm) 1 Pair of large dissecting forceps (toothed and non-toothed, ~14cm) 1 Pair of suture scissors (straight and curved, ~14 cm) 6 pairs of Artery forceps(4/6 inches) 4 kocher forceps (6 inches) 2 pairs of Kelly forceps (straight/curved 8-10 inches) 4 Allis Tissue Forceps toothed (15 cm) 4 Mosquito artery Forceps( 4-5 inches) McIndoe Forceps (15 cm) 4 Babcock Intestinal Forceps (#4) 1 pair of Mayo-Hegar Needle Holders (7/8", tungsten carbide) Scalpel Handle #3, #4 and #7 (2 pcs) 1 pair of Richardson Retractor (small and medium) 1 pair of Richardson Retractor (large) 1 pair U.S. Army Retractor (8.5") 5 Backhaus Towel Clamp (5 1/4") 1 Rochester-Ochsner Forceps (straight, 8") 1 Adson Tissue Forceps (serrated & toothed) 1 Russian Tissue Forceps (8") 1 Dressing Forceps	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता , सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्रमुख प्रशासकीय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु नगरपालिका  
तुम्बिनी प्रदेश, बैधाल, कपिलवस्तु  
तुम्बिनी प्रदेश, नेपाल

फोन नं. ०७६५२०९४७  
फोकस नं. +९७७ ७६५२०६८४

प.स. २०८२/८३  
च.नं.

		1 Gall Duct Forceps 5 Towel clips 4 Sponge holding forceps(8-10 inches) 3 Metal suction tubes(small/medium/large) 3 Bowl(small/medium/large) 1 Kidney tray Instrument tray Houzel abdominal retractor One year warranty, having ISO, CE or USFDA certified product.							
32	MVA set with canula and Aspiration of different size	<p><b>Cannula Specifications</b> Size range: 4 mm – 12 mm (outer diameter) Types: Flexible cannulae ,Semi-rigid cannulae Design features: Latex-free,Color-coded for easy size identification, Depth markers to measure uterine length</p> <p><b>Aspirator Specifications</b> Capacity: ~60 mL syringe-like vacuum aspirator Mechanism: Hand-held, double-valve system for suction Components: ✓ Vacuum aspirator body ✓ Extra gasket and collar stop ✓ 5 mL silicone oil (for lubrication) ✓ Valves for suction control</p> <p>One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>	Set						
33	D& E set	<p><b>Contents</b></p> <ul style="list-style-type: none"> <li>✓ Speculum</li> <li>✓ Tenaculum</li> <li>✓ Dilators (metal/ disposable)</li> <li>✓ Forceps (Sopher/ Bierer, /Foerster)</li> <li>✓ Curettes (sharp/suction)</li> <li>✓ Suction cannula &amp; tubing</li> <li>✓ Syringe or suction machine</li> <li>✓ Scissors &amp; clamps</li> <li>✓ Bowls &amp; trays</li> </ul> <p>One-year warranty, having ISO 9001 or ISO 13485</p>	Set						
34	K - wire set	<p>Medical grade stainless steel,corrosion-resistant,biocompatible</p> <table border="0"> <thead> <tr> <th>Component</th> <th>Descripti</th> </tr> </thead> <tbody> <tr> <td>✓ Kirschner Wires ✓ (K-wires)</td> <td>Stainless steel wires, s both ends</td> </tr> </tbody> </table>	Component	Descripti	✓ Kirschner Wires ✓ (K-wires)	Stainless steel wires, s both ends	Set		
Component	Descripti								
✓ Kirschner Wires ✓ (K-wires)	Stainless steel wires, s both ends								

“कृष्णनगर नगरपालिकाको प्रतिवद्धता ,सुशासन,स्वास्थ्य,समृद्ध र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत  
प्रमुख प्रतिवद्धता



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कार्यपालिका  
सुनिकी प्रेषण नेपाल

फोन नं. ०१६५२०९४७  
फैक्स नं. ०१७७ ७६५२०६८

प.स. २०८२/८३  
च.नं.

		<ul style="list-style-type: none"> <li>✓ Wire Driver / Drill Manual or powered device for inserting K-wires</li> <li>✓ Wire Holders &amp; Forceps</li> <li>✓ Drills &amp; Guides</li> <li>✓ Storage Box Aluminium or stainless steel</li> </ul> <p>One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>		(sets in 101-piece kits)	
35	Oropharyngeal Airways (All sizes)	<p>Material: Medical-grade polyethylene or PVC (non-toxic, latex-free), Hollow center channel, rigid curved design</p> <p>One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>	Set		
36	Nasapharangeal Airway (All sizes)	<p>Material: Soft, flexible PVC with smooth satin finish for patient comfort.</p> <p>Design: Anatomical, thin-wall construction for easy insertion and suctioning. Sterility: Individually packaged, sterile, single-use.</p> <p>Safety: Latex-free to prevent allergic reactions.</p> <p>Identification: Clearly labeled with internal diameter (ID) in millimeters and French gauge (Fr)</p> <p>One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>	Set		
37	Anesthesia Face mask (All sizes )	<p>Design: Fits over nose and mouth to create an airtight seal.</p> <p>Material: Transparent medical-grade PVC or silicone for visibility and patient monitoring.</p> <p>Cushion: Soft, pliable, air-filled cushion (with / without inflation valve) for comfort and sealing.</p> <p>Connection Port: Standard 15 mm or 22 mm OD connector compatible with breathing circuits.</p> <p>Types: Single-use (disposable and reprocessable (autoclavable).</p> <p>One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>	Set		
38	ET tubes with cuffed / Uncuffed (Sizes 2.5- 8.0 ID )	<p>Uncuffed ET Tubes</p> <ul style="list-style-type: none"> <li>✓ Material: Clear, flexible PVC (latex-free, sterile, single-use)</li> <li>✓ Connector: Standard 1.5 mm ISO connector</li> <li>✓ Design: Murphy eye for alternative ventilation port</li> </ul> <p>Cuffed ET Tubes</p> <ul style="list-style-type: none"> <li>✓ Material: PVC with high-volume, low-pressure cuff</li> <li>✓ Connector: Standard 15 mm ISO connector</li> <li>✓ Design: Pilot balloon with one-way valve for cuff inflation</li> </ul> <p>One-year warranty, Having ISO, CE or USFDA approved product certificate.</p>	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्ता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु  
लुम्बिनी प्रदेश, नेपाल  
कार्यपालिका

फोन नं. ०७६५२०९४७  
फैक्स नं. ०१७७ ७६५२०६८

प.स. २०८२/८३  
च.नं.

Item No.	Description	Device	Sizes	Set	Key Features
		Magill's Forceps	Small & Large		
39	Intubation aids	Bougie (Tracheal Tube Introducer)	Common sizes: 8 Fr (40 cm), 11 Fr (65 cm), 15 Fr (65 cm)		<ul style="list-style-type: none"> <li>- Angled design, Serrated tips</li> <li>- Stainless steel construction</li> <li>- Flexible,atraumatic tip</li> <li>- Markings at 5-40 cm</li> <li>- Black markings for tube positioning</li> <li>- Malleable metal/plastic rods</li> <li>- Smooth atraumatic tip</li> </ul>
		Stylets	Small & Large		
		One-year warranty, Having ISO, CE or USFDA approved product certificate.			
40	Suction Device and catheters (Size 8 -16 Fr)	Feature	Specification	Set	
		Size Range	8 Fr - 16 Fr		
		Material	Medical-grade PVC, latex-free, DEHP-free		
		Tip Design	Atraumatic rounded tip for gentle insertion		
		Connector	Universal funnel connector (fits standard suction tubing)		
		Sterility	Individually packed, sterile, single-use		
		Color Coding	Each size is color-coded for quick identification		
		One-year warranty, Having ISO, CE or USFDA approved product certificate.			
41	Brain breathing circuit	Type: Co-axial modification of the Mapleson-D system. Design: Single corrugated tube with inner fresh gas supply and outer reservoir tube. Features:		Set	
		<ul style="list-style-type: none"> <li>✓ Lightweight and compact.</li> <li>✓ Low resistance to breathing.</li> <li>✓ Low dead space.</li> <li>✓ Includes expiratory valve and antistatic reservoir bag.</li> <li>✓ Sterile and individually packed.</li> </ul>			
		One-year warranty, Having ISO, CE or USFDA approved product certificate			
42	Pediatric breathing Circuit	Reservoir bag size: 1L, 2L, 3L Filters: Bacterial/viral filters /heat-moisture exchangers (HME) One-year warranty, Having ISO, CE or USFDA approved product certificate.		Set	
43	Spinal anesthesia or regional block set	Contents Small bowl Sponge holding forceps Artery forceps Kidney tray Large eye towel One-year warranty, Having ISO, CE or USFDA approved product certificate.		Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर, कपिलवस्तु जिल्हा, लुम्बिनी प्रदेश, नेपाल  
लुम्बिनी प्रदेश, नेपाल, लुम्बिनी, नेपाल

फोन न. ०७६५२०९४७  
फाक्स न. +९७७ ७६५२०६८

प.स. २०८२/८३

च.नं.

44	Room temperature monitor	Specifications Accuracy: Precision of readings, usually $\pm 0.1$ °C to $\pm 0.5$ °C. Sensor Type: Thermistor/RTD/solid-state IC. Power Supply: battery. Connectivity: wireless (Wi-Fi, Bluetooth). Additional Sensors: Humidity, airflow, flood, or power monitoring. Mounting Options: Wall, rack, One-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
45	CTG (Cardiotocography) machine	Specifications Feature Display 7" Color TFT LCD or Touchscreen Printer Built-in thermal printer (Built-in printer) Fetal Heart Rate (FHR) Range: 50–210 bpm; Accuracy: ± 10% (twins) Transducer Multi-crystal, wide beam Ultrasound power <5 mW TOCO (Uterine Contractions) Range: 0–100 units Data Storage Up to 42+ hours; playback Interface to central nurse station Connectivity Options Battery Rechargeable Li-ion battery Event Markers Patient event marker + clinical markers Additional Features Automatic fetal movement detection, fetal variance analysis, fetus well-being monitoring One-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
46	Eye Towel	Specifications Attribute Details Size 40 cm x 40 cm with a 1-inch hole (fenestration for procedures) Material 20's Casement Cotton (thin, breathable fabric) Color Usually green (standard surgical color) Pattern Plain Features Skin-friendly, lightweight, easy to maintain, durable One-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
47	Leak proof sharp container	Specifications Feature Details Material High-density polyethylene Leak Resistance resistant and durable Capacity Range Sealed edges and tamper-proof 7.0–7.5 L	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

कृष्णनगर नगरपालिका  
कार्यालय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर कार्यपालिका  
लुम्बिनी प्रदेश, नेपाल

फोन नं. ०७६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६८

प.स.२०८२/८३

च.नं.

		<p><b>Closure System</b> Integrally attached closure or secure</p> <p><b>Safety Features</b> Opening design , Clearly marked fill line, Prominent biohazard symbol</p> <p><b>Transparency</b> Clear or translucent body</p> <p><b>Disposal Compatibility</b> Autoclavable or incinerable; compliant with hospital waste protocols</p> <p><b>Stackability</b> stackable</p> <p>One-year warranty, having ISO, EU-CE or USFDA approved product certificate must meet WHO and OSHA guidelines</p>		
48	Proctoscope	<p><b>Specifications</b> Length:15 cm (5 inches) Material: stainless steel (reusable)/ medical-grade plastic (disposable). Structure: Hollow, rigid tube, Equipped with an obturator (removable inner piece),light source at the distal end. One-year warranty, having ISO, EU-CE or USFDA approved product certificate.</p>	Set	
49	Information Board	<p><b>Physical Specifications</b> Size: Small (A3/A2) and large wall-mounted boards (up to 2400mm x 1200mm). Surface Types: Cork (for pins) ,Whiteboard (for markers) <b>Mounting Options:</b> Wall-mounted <b>Frame Materials:</b> Aluminum/ wood/plastic One-year warranty, having ISO, EU-CE or USFDA approved product certificate.</p>	Set	
50	Bed Pan/ Urinal	<p><b>Bed Pan Specifications</b> Material :Stainless steel /Plastic Dimensions: ~14" x 11 1/4" Design :Contoured ,Smooth edges , Flat or slipper-shaped Capacity: 1–2 liters</p> <p><b>Urinal Specifications</b> Material: Plastic / Stainless steel Capacity : 800–1000 ml Design Male urinals: elongated neck Female urinals: wider opening, ergonomic shape Spill-resistant caps or lids Features: Graduated markings, Handles , Angled model</p> <p>One-year warranty, having ISO, EU-CE or USFDA approved product certificate.</p>	Set	
51	Nasal speculum	<p><b>Specifications</b> <b>Feature</b>                    <b>Details</b></p>	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता ,सुशासन,स्वास्थ्य,समृद्ध र खुशी जनता ”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np),

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

ग्रामुख प्रशासकोव्य अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

कृष्णनगर कार्यपालिका  
तुम्बिनी प्रदेश/नेपाल  
कृष्णनगर, नेपाल

फोन न. ०७६५२०९४७  
फोक्स न. +९७७ ७६५२०६४

प.स.२०८२/८३  
च.नं.

		Material Length Working Length Jaw Width Sizes One-year warranty, having ISO13485 for Medical Devices	Stainless steel (durable, corrosion-resistant), latex free ~155 mm (6 1/8") 33 mm (distance from hinge to tip) ~7 mm Adult and pediatric (junior) sizes		
52	Ear irrigation Set	Specifications ✓ Irrigation syringe or device ✓ Tubing and nozzle ✓ Collection basin/cup ✓ Water reservoir ✓ Temperature control system One-year warranty, having ISO, EU-CE or USFDA approved product certificate.	Set		
53	Spinal Backboard	Specifications Feature Material Dimensions Weight Capacity Weight of Board Handholds Straps Head Immobilizer Compatibility Radiolucency Buoyancy Durability One-year warranty, Having ISO,CE or USFDA approved product certificate.	High-density polyethylene materials; often X-ray, Approx. 183 cm (length) 150–180 kg (330–400 lbs) 6–9 kg (13–20 lbs), depending on model 8–18 handholds Multiple restraint straps Designed to attach head radiolucent (transparent) buoyant Resistant to impact, chemicals	Set	
54	Gauze cutter	Manual Gauze Cutter (Scissor-Type) Design: Scissors with thermoplastic handle and steel blade ,Corrosion-resistant material Dimensions: Approx. 18 cm length. Operation: Manual, no software or electronic interface.  Motorized Gauze Cutter (CSSD/OT Use) Specifications: Motor Power: 0.65 hp. Cutting Stroke: 1.5 inches. Construction: Durable, ergonomic design  Automated Gauze Cutting Machines Specifications:	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता ,सुशासन,स्वास्थ्य,समृद्धि र खुशी जनता ”


वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

इमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com) अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

प.स. २०८२/८३  
च.नं.



फोन न. ०७६५२०९४७  
प्याक्स न. +९७७ ७६५२०६८

		Material: Stainless Steel (SS 304 grade, 18 SWG, matt finish). Dimensions: approx. 31" x 25". Height: Ergonomic 35" ± 1" adjustable. Operation: Foot switch/manual switch. Cabinet: MS/SS housing with openable door for maintenance and dust removal.  One-year warranty, Having ISO,CE or USFDA approved product certificate		
55	Hamper bag (cloth sack for collection of wrappers)	Specifications: Material Fabric: 100% polyester or cotton blend (durable, washable, breathable). Optional Coating: Liquid-resistant synthetic microfilament Dimensions Standard Sizes: Small: 18" x 24", Medium: 24" x 30" ,Large: 30" x 36" Capacity: 40–100 liters  One-year warranty, Having ISO,CE or USFDA approved product certificate	Set	
56	Peri light	Specifications: Feature Details Power Supply Operates on mains AC (220V-240V) Power Rating ≥ 50W (extra focus capability) Lamp Type LED-based (7 LED beads) Brightness/Intensity 25,000 – 55,000 lux (adjustable) Focus Diameter ~120 mm Color Temperature ~4300K (neutral white) Adjustability Lamp can be positioned up to 180° Weight Lightweight (~4 kg, easy to carry) Controls On/Off switch; focus adjustment Durability Long lifespan LED lamp  One-year warranty, Having ISO,CE or USFDA approved product certificate	Set	
57	Anesthesia trolley	Specifications: Feature Details Framework ABS plastic/ epoxy-coated metal Drawers Usually 5 drawers: 2 small (~6.5 cm x 15 cm); adjustable dividers for organization Work Surface One-piece ABS top, fluid-retaining Locking System Centralized lock or multiple locking mechanisms Accessories Extendable IV rod, hanging boxes Mobility Four castors (~10 cm diameter), at least 2 with brakes	Set	

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”


वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्रमुख प्रशासकीय अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय



फोन नं. ०९६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६८

प.स. २०८२/८३  
च.नं.

	Safety Features	Protective corner profiles, base bumper to prevent damage		
	Dimensions	Approx. 750 x 480 x 930 mm (varies by manufacturer)		
	Warranty	Some models offer up to 10 years warranty depending on supplier		
One-year warranty, Having ISO,CE or USFDA approved product certificate				
		<b>TOTAL</b>		
		<b>VAT</b>		
		<b>GRAND TOTAL</b>		

Price Estimation for OT SET UP Equipment for Laboratory

S.N.	Name of Equipment	Description			Unit	Unit price	Remarks																																															
1	Hematology Analyzer 5 Parts (Auto loader)	<p><b>Specifications</b></p> <table> <tr> <td>Feature</td> <td>Eurocount 5L Autoloader</td> <td>Seamaty SMT-50</td> <td>HA-6590</td> <td>Set</td> <td></td> <td></td> </tr> <tr> <td>Parameters</td> <td>28 parameters + 2 research (Atypical Lymphocytes, Immature Granulocytes)</td> <td>CBC + 5-part differential</td> <td>29 parameters (WBC, RBC, PLT, HGB, etc.) + research parameters</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sample Throughput</td> <td>Continuous loading, 50 tubes</td> <td>60 samples/hour</td> <td>≥90 samples/hour</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sample Volume</td> <td>Standard whole blood</td> <td>Small volume, ≤10 µL whole blood</td> <td>Whole blood ≤10 µL, predilute ≤20 µL</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Technology</td> <td>Multidirection barcode reader, cap piercing, inbuilt blood mixer</td> <td>Laser scattering technology, intelligent blockage removal</td> <td>Advanced scatter chart analysis, ≥4 histograms</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Test Modes</td> <td>CBC or CBC+5diff</td> <td>CBC + 5-part differential</td> <td>CBC + 5-part differential</td> <td></td> <td></td> <td></td> </tr> <tr> <td>User Interface</td> <td>Dedicated PC-based processing</td> <td>Compact design with reagent cabinet</td> <td>14-inch color touch screen</td> <td></td> <td></td> <td></td> </tr> </table>	Feature	Eurocount 5L Autoloader	Seamaty SMT-50	HA-6590	Set			Parameters	28 parameters + 2 research (Atypical Lymphocytes, Immature Granulocytes)	CBC + 5-part differential	29 parameters (WBC, RBC, PLT, HGB, etc.) + research parameters				Sample Throughput	Continuous loading, 50 tubes	60 samples/hour	≥90 samples/hour				Sample Volume	Standard whole blood	Small volume, ≤10 µL whole blood	Whole blood ≤10 µL, predilute ≤20 µL				Technology	Multidirection barcode reader, cap piercing, inbuilt blood mixer	Laser scattering technology, intelligent blockage removal	Advanced scatter chart analysis, ≥4 histograms				Test Modes	CBC or CBC+5diff	CBC + 5-part differential	CBC + 5-part differential				User Interface	Dedicated PC-based processing	Compact design with reagent cabinet	14-inch color touch screen						
Feature	Eurocount 5L Autoloader	Seamaty SMT-50	HA-6590	Set																																																		
Parameters	28 parameters + 2 research (Atypical Lymphocytes, Immature Granulocytes)	CBC + 5-part differential	29 parameters (WBC, RBC, PLT, HGB, etc.) + research parameters																																																			
Sample Throughput	Continuous loading, 50 tubes	60 samples/hour	≥90 samples/hour																																																			
Sample Volume	Standard whole blood	Small volume, ≤10 µL whole blood	Whole blood ≤10 µL, predilute ≤20 µL																																																			
Technology	Multidirection barcode reader, cap piercing, inbuilt blood mixer	Laser scattering technology, intelligent blockage removal	Advanced scatter chart analysis, ≥4 histograms																																																			
Test Modes	CBC or CBC+5diff	CBC + 5-part differential	CBC + 5-part differential																																																			
User Interface	Dedicated PC-based processing	Compact design with reagent cabinet	14-inch color touch screen																																																			

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता”

वेबसाइट: [www.krishnanagarmun.gov.np](http://www.krishnanagarmun.gov.np)

ईमेल: [munkrishnanagar@gmail.com](mailto:munkrishnanagar@gmail.com)

प्राप्ति अधिकृत



कृष्णनगर नगरपालिका  
नगर कार्यपालिकाको कार्यालय

प.स. २०८२/८३  
च.नं.

कृष्णनगर, कपिलवस्तु  
लुम्बिनी प्रदेश, मैसाल  
कृष्णनगर नगरपालिका  
कार्यपालिका

फोन नं. ०७६५२०९४७  
फ्याक्स नं. +९७७ ७६५२०६८

		One-year warranty, having ISO 9001 or ISO 13485, CE or USFDA approved product certificate.			
			TOTAL		
			VAT		
		GRAND TOTAL			

Price Estimation for OT SET UP Electrical Equipments

S.N.	Name of Equipment	Description	Unit	Unit price	Remarks
1	Air conditioner	Specifications Cooling Capacity : 1 ton/ 1.5 ton/ 2 ton+ Efficiency Ratings :SEER/ISEER , Inverter ACs adjust compressor speed Noise Levels <50 dB Refrigerant Choice: R-32 and R-410A One-year warranty, Having ISO, CE or USFDA approved product certificate.	Set		
2	Generator Backup For OT and Hospital ( Automatic )	Specification Table Feature Requirement for OT & Hospital Backup Compliance NFPA 99 & NFPA 110 Transfer Time ≤ 10 seconds Capacity 100% critical load + N+1 redundancy Fuel Storage ≥ 96 hours Monitoring ATS + Remote BMS integration Noise Level Acoustic enclosure One-year warranty, ISO, CE or USFDA approved product certificate.	Set		
3	Vacuum Cleaner	Specification Table Spec Type Example Value Air Watts 200 AW Airflow 100 CFM Water Lift 80 inches Capacity 2 liters Noise Level 70 dB Filtration HEPA filter One-year warranty, ISO, CE or USFDA approved product certificate.	Set		
4	Computer	Computer Specifications Processor (CPU): Intel Core i5 / AMD Ryzen 5 or higher	Set		

“कृष्णनगर नगरपालिकाको प्रतिवद्धता, सुशासन, स्वास्थ्य, समृद्धि र खुशी जनता ”